


TECHNICAL INFO

VERMICULITE coated fiberglass fabrics are high temperature resistant fabrics woven from “E” Glass fibers and coated with VERMICULITE-based film.

VERMICULITE, a naturally occurring, micaceous hydrated magnesium-aluminum-silicate product, is asbestos free and 100% inorganic. Microscopic, disc-shaped platelets within the VERMICULITE film overlap and stack. These platelets are embedded within the fabric’s fiber bundles. Coated on the surface, these platelets form an insulating film that acts as an effective flame/heat barrier.

Testing has confirmed that VERMICULITE has a service temperature of 1500°F, compared to a service temperature of 1000°F for standard 2025/9383 (E-Glass). At temperatures in excess of 1000°F, the VERMICULITE finish insulates the glass and while the material will become brittle, the VERMICULITE will not melt or shrink at temperatures up to 1800°F and will continue to perform as an effective flame/heat barrier. Even under direct flame, these fabrics are odorless and virtually smokeless.



Specifications

Properties	18 oz.	24 oz.
Weight (oz. / sq. yd.)	18 (± 10%)	24 (± 10%)
Color	Gold	Gold
Coating	Vermiculite-based refractory compound	Vermiculite-based refractory compound
Width, Inches	60" x 150'	60" x 150'
Temperature Rating		
Base Fabric	1000° F / 538°C	1000° F / 538°C
Coated Fabric	1500°F / 815° C, 30 mins 1 side	1500°F / 815° C, 30 mins 1 side
Thickness (mm)	0.8mm or .031"	1mm or .039"
Weave	Plain	Plain

For more information on GLT Products, please call toll-free at 800.874.1748 or online at www.gltproducts.com.



Innovative Insulation Systems

HEADQUARTERS:

6810 Cochran Road | Solon OH 44139 | 440.914.1122 | 440.914.1133 Fax | **1.800.874.1748**

DISTRIBUTION CENTERS:

Ohio: 6810 Cochran Road | Solon OH 44139 | 440.914.1122
North Carolina: 501 West Camel Street | Greensboro, NC 27401 | 1.800.551.9760
California: 4113 Gold River Lane | Stockton, CA 95215 | 1.800.833.4500
Texas: 8905 Market Street | Houston, TX 77029 | 1.800.874.1748